

## SPECIFICATIONS FOR RAW AND FRESH (PASTEURISED) MILK

Product	Total Bacterial Count/ml	Coliforms/ml	E.coli/ml	% Fat	% Protein	% Lactose	Somatic cell count/ml	Inhibitory substances	Phosphatase	Freezing Point Depression m°C
Raw Milk (Limit)	< 100 000	50	10	>3.3	>3.0	4.5 - 5.1	500 000	None	NA	512-540
Raw Milk (Quality)	< 20 000	10	<1	>3.5	>3.0	4.5 - 5.1	200 000	None	NA	515-540
Past. Milk (Limit)	< 50 000	10	<1	>3.3	>3.0	4.5 - 5.1	NA	None	Negative	512-530
Past. Milk (Quality)	< 10 000	<1	<1	>3.3	>3.0	4.5 - 5.1	NA	None	Negative	512-530

**Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences**  
 Stellenryk Building / Constantia Square Office Park  
 526 16th Street / Midrand / South Africa / 1685  
 Tel: +27 (11) 805 4310 / Fax: +27 (11) 805 7930  
 Email: za-info@mxns.com  
[www.merieuxnutrisciences.com](http://www.merieuxnutrisciences.com)

Directors: V. Stewart (Managing), A. Lambrechts, P. Sans (France)  
 S. Schneider (France), J-F. Billet (France) / Reg. No 2000/025067/07